
Desperately Seeking Default

Geoff Huston APNIC

In the Telephone Network



internet In the Telephone Hetwork



internet In the Pelephone Network

- Are all connected endpoints are equally reachable?
- Can anyone can reach anyone else?

No!

In the Pelephone Network

- Are all connected endpoints are equally reachable?
- Can anyone can reach anyone else?



NATs and Firewall Filters changed our conception of the internet from a peer-to-peer network to a limited client/server architecture.

Our current expectations are that if you stand up a public service on port 80 (or 443 for that matter) public service on AT, then maybe everyone can reach outside of a NAT, then maybe everyone can reach you, but otherwise, no.

internet In the Telephone Network

- All connected endpoints are equality reachable
- Can anyone can reach anyone else?

internet In the Telephone Network


- · All connected endpoints are equally reachable
- Can anyone can reach anyone else?

We might THINK this, but is it true ALL the time?

What do we see?


On the internet is everyone really connected to everyone else?

How We See




We use an online ad to present a sequence of small fetches to the user's browser

How We See




The sequence of tests is used to test a number of types of actions including fetches of IPv4, IPv6 and Dual stack




How We See

We use topdump to record all packet activity at the experiment's servers




What we see: Connection Failure




Daily IPv6 Failures





Daily IPv6 Unicast Address Failures




IPv6 Failures

- 1.5% failure for unicast V6 is unacceptable!
- Why is this happening
 - Auto-tunnelling?
 - Lousy CPE firmware?
 - Strange firewall filters?

- But is all of this due to local configuration / equipment?
- What is the comparable view in IPv4?

IPv4 Connection Failure




IPv4 Failures

- IPv4 failures are around 1 in 500
- And we are pretty sure its NOT:
 - Auto-tunnelling
 - Lousy CPE firmware
 - Strange firewall filters


- So what is the reason for this residual asymmetric failure rate?
- Is it asymmetric routing connectivity?

Route Views Routing Table

25 Years of Routing the Internet




IPv4 - 2015/16 IPv4 Route Views + RIS




Different peers see a slightly different Internet

- But is this just traffic engineering more specifics?
- Or do different peers see a different set of reachable addresses in the routing table?

Address Span (Route Views + RIS data sets)



Address Span (Route Views + RIS data sets)




What does this mean?


- Each peer of RouteViews and RIS announces a span of addresses that appears to be a unique span.
- In total, these spans agree with other to within ~20M addresses, but this means that there are potentially some 20M uniquely addressed endpoints that cannot be reached from all other endpoints.
- This variation is stable over time for each peer, so its not transient routing that is generating this – the reasons for this difference in reachability are structural

What about IPv6?


The Route Views view of IPv6




Number of IPv6 Routes in 2015/16



IPv6 Announced Address Span Variation (RV + RIS)



IPv6 Announced Address Span Variation (RV + RIS)



What is "default"?


We don't know!

There is no "default" route set that we can all agree on


What is "default"?

- At best "default" is an informal quorum
 - So lets define this quorum by arbitrarily setting the quorum threshold at 2/3
 - i.e. if 2/3 of the peers of a route collector advertise a route then it is part of the default quorum.
- Individual peer networks will contain route sets that differ from this quorum by having both additional prefixes and holes.
 - Lets look at the variance from the quorum


A "Quorum" deviation view of IPv4




A magnified view




IPv6 "Quorum" Deviation



Zooming In



And Again



Quorum Deviation for RVA IPv4 Peers (18th August 2016)

| | AS | RIB | SPAN (/8s) | MISSING | EXTRA | NAME |
|---------------|----------|---------|------------|-------------|------------|-----------------------------------------------------------------------|
| | AS57463 | 486,034 | 131.09 | 622,603,514 | 839,940 | NETIX , BG |
| | AS7660 | 581,864 | 162.96 | 88,091,728 | 969,448 | APAN-JP Asia Pacific Advanced Network - Japan, JP |
| | AS1299 | 583,170 | 165.45 | 45,216,000 | 1,280 | TELIANET, SE |
| | AS23673 | 629,607 | 168.47 | 7,667,968 | 13,087,744 | ONLINE-AS Cogetel Online, Cambodia, ISP, KH |
| | AS24441 | 609,412 | 168.35 | 6,401,536 | 9,763,840 | CITYLINK-AS-KH CityLink Corporation, LTD, KH |
| | AS34224 | 594,825 | 167.85 | 5,825,536 | 864,000 | NETERRA-AS , BG |
| | AS18106 | 608,422 | 168.23 | 5,740,544 | 7,048,080 | VIEWQWEST-SG-AP Viewqwest Pte Ltd, SG |
| | AS2497 | 602,117 | 168.17 | 5,626,368 | 5,985,792 | IIJ Internet Initiative Japan Inc., JP |
| | AS3303 | 595,422 | 167.91 | 4,301,312 | 338,736 | SWISSCOM Swisscom (Switzerland) Ltd, CH |
| | AS1668 | 592,954 | 167.93 | 3,856,640 | 150,528 | AOL-ATDN - AOL Transit Data Network, US |
| $\overline{}$ | AS3356 | 592,109 | 168.00 | 2,482,688 | 5,376 | LEVEL3 - Level 3 Communications, Inc., US |
| | AS3549 | 595,096 | 168.00 | 2,473,728 | 20,096 | LVLT-3549 - Level 3 Communications, Inc., US |
| | AS11686 | 599,478 | 168.13 | 1,922,560 | 1,566,464 | ENA - Education Networks of America, US |
| \rightarrow | AS1239 | 592,299 | 168.03 | 1,906,688 | 1,280 | SPRINTLINK - Sprint, US |
| | AS3130 | 591,111 | 168.05 | 1,699,584 | 13,824 | RG-BIWA - RGnet, LLC, US |
| | AS37100 | 598,975 | 168.14 | 1,534,976 | 1,385,472 | SEACOM-AS, MU |
| | AS293 | 615,277 | 168.26 | 1,419,776 | 3,337,310 | ESNET - ESnet, US |
| | AS20912 | 600,953 | 168.12 | 1,376,254 | 840,997 | ASN-PANSERVICE , IT |
| | AS6939 | 613,648 | 168.27 | 852,736 | 2,939,136 | HURRICANE - Hurricane Electric, Inc., US |
| | AS58511 | 616,638 | 168.29 | 806,144 | 3,163,136 | CONNECTIVITYIT-AU Connectivity IT Pty Ltd, AU |
| | AS47872 | 619,320 | 168.31 | 781,228 | 3,517,602 | SOFIA-CONNECT-AS , BG |
| | AS20771 | 617,937 | 168.31 | 777,984 | 3,525,121 | CAUCASUS-CABLE-SYSTEM CCS Autonomous System, GE |
| | AS6762 | 594,768 | 168.11 | 569,856 | 4,864 | SEABONE-NET TELECOM ITALIA SPARKLE S.p.A., IT |
| | AS3277 | 605,524 | 168.20 | 562,176 | 1,368,046 | RUSNET-AS , RU |
| | AS8492 | 607,998 | 168.19 | 541,696 | 1,313,536 | OBIT-AS OBIT Ltd., RU |
| | AS53364 | 593,422 | 168.13 | 512,512 | 157,952 | AS-PRE2POST-2 - ZEROFAIL, US |
| | AS3257 | 593,425 | 168.13 | 511,744 | 157,952 | GTT-BACKBONE GTT, DE |
| | AS852 | 594,937 | 168.14 | 499,456 | 325,376 | ASN852 - TELUS Communications Inc., CA |
| | AS3741 | 595,361 | 168.16 | 431,104 | 620,288 | IS, ZA |
| | AS31019 | 597,486 | 168.18 | 417,280 | 1,017,040 | MEANIE Meanie # Transits and route servers:, NL |
| | AS13030 | 591,282 | 168.18 | 385,024 | 853,762 | INIT7, CH |
| | AS2152 | 596,033 | 168.16 | 290,048 | 477,184 | CSUNET-NW - California State University, Office of the Chancellor, US |
| | AS7018 | 593,164 | 168.14 | 279,040 | 157,696 | ATT-INTERNET4 - AT&T Services, Inc., US |
| | AS6539 | 598,322 | 168.14 | 222,720 | | GT-BELL - Bell Canada, CA |
| ~ | AS2914 | 593,425 | 168.14 | 219,904 | 9,984 | NTT-COMMUNICATIONS-2914 - NTT America, Inc., US |
| \rightarrow | AS202018 | 594,945 | 168.16 | 175,616 | 402,944 | DIGITALOCEAN-ASN-3 , NL |
| - | AS3561 | 593,148 | 168.14 | 152,576 | 1,792 | CENTURYLINK-LEGACY-SAVVIS - Savvis, US |
| | AS1221 | 595,472 | 168.16 | 150,784 | 291,696 | ASN-TELSTRA Telstra Pty Ltd, AU |
| | AS5413 | 594,327 | 168.15 | 119,040 | 227,104 | AS5413 , GB |
| | AS22652 | 598,468 | 168.17 | 104,704 | 496,640 | FIBRENOIRE-INTERNET - Fibrenoire Inc., CA |
| | AS286 | 594,506 | 168.19 | 47,104 | 698,320 | · |
| | AS40191 | 594,801 | 168.16 | 32,455 | 175,364 | AS-PRE2POST-1 - ZEROFAIL, CA |

Quorum Deviation for RIS IPv4 Peers

| AS | RIB | SPAN (/8s) | MISSING | EXTRA | NAME |
|---------|---------|------------|------------|-----------|--------------------------------------------------------------------|
| AS37989 | 243,051 | 165.84 | 39,676,160 | 947,712 | DCS1-02-AS-AP DCS1 Pte Ltd, at DC02, SG |
| AS4777 | 567,778 | 168.19 | 5,953,536 | 6,699,364 | APNIC-NSPIXP2-AS Asia Pacific Network Information Centre, JP |
| AS3549 | 556,838 | 168.00 | 2,651,904 | 209,536 | LVLT-3549 - Level 3 Communications, Inc., US |
| AS50300 | 559,388 | 168.07 | 1,817,600 | 531,968 | CUSTDC, GB |
| AS50763 | 369,369 | 168.07 | 1,742,848 | 428,288 | MCKAYCOM , GB |
| AS3257 | 555,248 | 168.12 | 686,080 | 216,064 | GTT-BACKBONE GTT, DE |
| AS4608 | 572,611 | 168.28 | 684,800 | 2,897,776 | APNIC-SERVICES Asia Pacific Network Information Centre, AU |
| AS57821 | 556,704 | 168.12 | 590,848 | 253,696 | NONATTACHED-AS , DE |
| AS7018 | 555,116 | 168.14 | 452,864 | 344,320 | ATT-INTERNET4 - AT&T Services, Inc., US |
| AS6453 | 555,023 | 168.12 | 440,064 | 64,000 | AS6453 - TATA COMMUNICATIONS (AMERICA) INC, US |
| AS2914 | 555,431 | 168.12 | 392,960 | 65,280 | NTT-COMMUNICATIONS-2914 - NTT America, Inc., US |
| AS8758 | 559,880 | 168.19 | 389,376 | 1,112,320 | IWAY, CH |
| AS1103 | 565,166 | 168.21 | 388,352 | 1,455,786 | SURFNET-NL SURFnet, The Netherlands, NL |
| AS1836 | 558,296 | 168.17 | 238,080 | 712,448 | GREEN green.ch AG Autonomous System, CH |
| AS13030 | 552,829 | 168.16 | 238,080 | 586,496 | INIT7, CH |
| AS29608 | 555,680 | 168.14 | 231,168 | 101,632 | WAN2MANY-AS, FR |
| AS25160 | 558,803 | 168.15 | 231,168 | 354,048 | VORBOSS_AS , GB |
| AS8283 | 560,112 | 168.25 | 212,224 | 2,007,082 | COLOCLUE-AS Netwerkvereniging Coloclue, Amsterdam, Netherlands, NL |
| AS8455 | 556,536 | 168.24 | 211,456 | 1,902,848 | ATOM86-AS Schuberg Philis B.V. trading as atom86, NL |
| AS57381 | 558,965 | 168.17 | 204,032 | 637,114 | FNUTT, NO |
| AS50304 | 558,965 | 168.17 | 202,752 | 636,090 | BLIX , NO |
| AS15435 | 556,571 | 168.17 | 198,656 | 573,504 | KABELFOON CAIW Autonomous System, NL |
| AS8468 | 558,362 | 168.17 | 123,392 | 541,184 | ENTANET ENTANET International Limited, GB |
| AS12859 | 558,716 | 168.19 | 123,392 | 879,360 | NL-BIT BIT BV, NL |
| AS56730 | 560,989 | 168.17 | 114,176 | 541,184 | WIREHIVE-AS , GB |
| AS22652 | 559,492 | 168.17 | 90,368 | 495,872 | FIBRENOIRE-INTERNET - Fibrenoire Inc., CA |
| AS286 | 556,245 | 168.18 | 78,848 | 743,120 | KPN, NL |
| AS8607 | 555,971 | 168.15 | 28,416 | 86,528 | TIMICO United Kingdom, GB |

Quorum Deviation: IPv6, RVA

| AS | RIB | SPAN (/32s) | MISSING (/48) | EXTRA (/48) | NAME |
|----------|--------|---------------|---------------|-------------|---------------------------------------------------------------------|
| AS30071 | 27,515 | 4,907,457,131 | 1,023,659,016 | 65,538 | OCCAID - TowardEX Technologies International, Inc., US |
| AS1239 | 30,371 | 5,902,448,671 | 28,601,938 | 0 | SPRINTLINK - Sprint, US |
| AS33437 | 30,784 | 5,931,199,283 | 19,099,133 | 19,247,807 | HOTNIC - Hotnic LLC, US |
| AS6939 | 30,761 | 5,931,199,283 | 19,099,133 | 19,247,807 | HURRICANE - Hurricane Electric, Inc., US |
| AS701 | 30,665 | 5,913,256,804 | 17,793,806 | 1 | UUNET - MCI Communications Services, Inc. d/b/a Verizon Business,US |
| AS7018 | 30,731 | 5,913,545,260 | 17,734,736 | 229,387 | ATT-INTERNET4 - AT&T Services, Inc., US |
| AS209 | 31,686 | 5,932,960,036 | 17,403,918 | 19,313,345 | CENTURYLINK-US-LEGACY-QWEST - Qwest Communications Company, LLC, US |
| AS53364 | 31,047 | 5,913,912,082 | 17,138,527 | 0 | AS-PRE2POST-2 - ZEROFAIL, US |
| AS3257 | 31,048 | 5,913,977,618 | 17,072,991 | 0 | GTT-BACKBONE GTT, DE |
| AS2914 | 30,832 | 5,914,140,702 | 16,975,443 | 65,536 | NTT-COMMUNICATIONS-2914 - NTT America, Inc., US |
| AS40191 | 31,715 | 5,914,960,678 | 16,155,467 | 65,536 | AS-PRE2POST-1 - ZEROFAIL, CA |
| AS22652 | 32,161 | 5,918,991,499 | 12,190,205 | 131,095 | FIBRENOIRE-INTERNET - Fibrenoire Inc., CA |
| AS13030 | 31,480 | 5,926,958,160 | 6,062,634 | 1,970,185 | INIT7, CH |
| AS37100 | 30,992 | 5,927,882,105 | 3,637,781 | 469,277 | SEACOM-AS, MU |
| AS2497 | 31,207 | 5,949,252,620 | 950,892 | 19,152,903 | IIJ Internet Initiative Japan Inc., JP |
| AS34224 | 32,905 | 5,949,544,751 | 819,206 | 19,313,348 | NETERRA-AS , BG |
| AS31019 | 32,896 | 5,951,743,292 | 656,398 | 21,349,081 | MEANIE Meanie # Transits and route servers:, NL |
| AS18106 | 33,106 | 5,950,559,547 | 525,323 | 20,034,261 | VIEWQWEST-SG-AP Viewqwest Pte Ltd, SG |
| AS57463 | 31,598 | 5,949,808,939 | 425,989 | 19,184,319 | NETIX , BG |
| AS3741 | 31,889 | 5,950,296,380 | 264,195 | 19,509,966 | IS, ZA |
| AS47872 | 32,873 | 5,950,268,013 | 229,396 | 19,446,800 | SOFIA-CONNECT-AS , BG |
| AS393406 | 31,586 | 5,950,200,121 | 229,381 | 19,378,893 | DIGITALOCEAN-ASN-NY3 - Digital Ocean, Inc., US |
| AS202018 | 31,573 | 5,950,200,108 | 229,381 | 19,378,880 | DIGITALOCEAN-ASN-3 , NL |
| AS62567 | 31,578 | 5,950,200,109 | 229,380 | 19,378,880 | DIGITALOCEAN-ASN-NY2 - Digital Ocean, Inc., US |
| AS20912 | 31,716 | 5,950,396,919 | 229,379 | 19,575,689 | ASN-PANSERVICE , IT |
| AS200130 | 31,578 | 5,950,200,110 | 229,379 | 19,378,880 | DIGITALOCEAN-ASN-1, EU |
| AS24441 | 32,262 | 5,951,248,894 | 229,379 | 20,427,664 | CITYLINK-AS-KH CityLink Corporation, LTD, KH |
| AS3277 | 32,787 | 5,951,785,285 | 229,379 | 20,964,055 | RUSNET-AS , RU |
| | | | | | |

Quorum Deviation: IPv6, RIS

| AS | RIB | SPAN (/32s) | MISSING (/48) | EXTRA (/48) | NAME |
|----------|--------|---------------|---------------|-------------|--------------------------------------------------------------------|
| AS13030 | 31,480 | 5,929,887,998 | 19,516,932 | 25,900,240 | HURRICANE - HurricaneElectric, Inc., US |
| AS57463 | 31,598 | 5,910,834,989 | 12,817,159 | 147,458 | VORBOSS_AS , GB |
| AS209 | 31,686 | 5,912,954,870 | 10,927,192 | 377,372 | ATT-INTERNET4 - AT&TServices, Inc., US |
| AS393406 | 31,586 | 5,913,254,942 | 10,463,283 | 213,535 | CW Vodafone Ltd,GB |
| AS34224 | 32,905 | 5,913,616,121 | 10,101,561 | 212,992 | NTT-COMMUNICATIONS-2914 - NTTAmerica, Inc., US |
| AS7018 | 30,731 | 5,917,651,397 | 7,741,835 | 1,888,542 | WAN2MANY-AS , FR |
| AS53364 | 31,047 | 5,918,466,646 | 7,086,087 | 2,048,043 | FIBRENOIRE-INTERNET - FibrenoireInc., CA |
| AS40191 | 31,715 | 5,917,811,232 | 6,496,295 | 802,837 | CATALYST2-AS, IE |
| AS2497 | 31,207 | 5,923,059,225 | 2,434,081 | 1,988,616 | PORTLANE www.portlane.com, SE |
| AS37100 | 30,992 | 5,947,841,507 | 1,694,497 | 26,031,314 | TIMICO United Kingdom,GB |
| AS22652 | 32,161 | 5,927,156,547 | 1,122,317 | 4,774,174 | RETN-AS, UA |
| AS3277 | 32,787 | 5,926,171,184 | 892,937 | 3,559,431 | ATOM86-AS Schuberg PhilisB.V. trading as atom86, NL |
| AS8758 | 29,668 | 5,951,708,764 | 706,730 | 28,910,804 | IWAY, CH |
| AS18106 | 33,106 | 5,926,662,683 | 401,440 | 3,559,433 | INIT7, CH |
| AS3257 | 31,048 | 5,949,639,835 | 354,936 | 26,490,081 | CUSTDC, GB |
| AS2914 | 30,832 | 5,927,514,683 | 335,892 | 4,345,885 | GREEN green.ch AGAutonomous System, CH |
| AS47872 | 32,873 | 5,930,568,251 | 270,350 | 7,333,911 | COLOCLUE-AS Netwerkvereniging Coloclue, Amsterdam, Netherlands, NL |
| AS3741 | 31,889 | 5,949,935,372 | 256,012 | 26,686,694 | WIREHIVE-AS, GB |
| AS202018 | 31,573 | 5,949,347,588 | 253,969 | 26,096,867 | NL-BIT BIT BV,NL |
| AS31019 | 32,896 | 5,949,345,529 | 190,477 | 26,031,316 | DIGIWEB-AS , IE |
| AS24441 | 32,262 | 5,927,684,889 | 139,619 | 4,319,818 | SURFNET-NL SURFnet, TheNetherlands, NL |
| AS20912 | 31,716 | 5,949,478,636 | 57,368 | 26,031,314 | MCKAYCOM, GB |
| AS701 | 30,665 | 5,949,413,125 | 57,357 | 25,965,792 | NONATTACHED-AS , DE |
| AS200130 | 31,578 | 5,949,413,111 | 57,357 | 25,965,778 | KABELFOON CAIW AutonomousSystem, NL |
| AS1239 | 30,371 | 5,949,544,187 | 57,356 | 26,096,853 | FNUTT, NO |
| AS33437 | 30,784 | 5,949,544,184 | 57,356 | 26,096,850 | BLIX, NO |
| AS6939 | 30,761 | 5,949,544,184 | 57,356 | 26,096,850 | NIXCZ NIX.CZ z.s.p.o.,CZ |
| AS62567 | 31,578 | 5,949,675,457 | 57,356 | 26,228,123 | INTEROUTE 25 CanadaSquare, Canary Wharf, 31st Floor, GB |

It's structural, not temporal

- There is a visible stability to this deviation from the quorum route set
 - The variation from the quorum is long—term stable, and does not rapidly selfcorrect – its not a transient routing state
- We appear to assume that all Tier 1 providers, and their Tier 2, 3, ...
 resellers offer the same reachability set as each other i.e. "default" is
 consistent everywhere
- But this is not necessarily the case all the time for every address in the routing system
- "Default" appears to vary by provider and by location
 - E.g.: 25 April, 1600 UTC:

AS2914: RouteViews 2,808,560,896 addresses

RIS: 2,807,358,208

"Default" is a market outcome

- There is no "global route arbiter"
- There is no way to enrol a route into a global Internet default route set
- There is no single common definition of "default"
- Instead "default" is a market outcome
 - You buy default from a transit
 - You hope your transit is offering you what it promised but you just can't tell
 - You add your route to default via a transit
 - You hope that this will propagate reachability tp your network to all parts of the Internet – but you just can't tell

So What?


Surely all this is patched up by the widespread use of a routing default entry in addition to specific routes? (*)

^{*} Internet Optometry: Assessing the Broken Glasses in Internet Reachability", R. Bush, O. Maennel, M. Roughan, S Uhlig, ACM SIGCOMM IMC, 2009


So What?

Surely all this is patched up by the widespread use of a routing default entry in addition to specific routes?


- Well, not really
- Default points along upstream transits
- It does not patch downstreams




To Recap: What is causing this?





To Recap: What is causing this?














And we do see this ... here's an example

14:16:05.999497 IP (tos 0x0, ttl 55, id 31005, offset 0, flags [none], proto ICMP (1), length 80) 84.41.108.74 > 139.162.146.97: ICMP host 46.163.63.47 unreachable, length 60

Outer packet is an iCMP Packet with a "destination unreachable" code sent to the server from the router at address 84.41.108.74

And we do see this ... here's an example

14:16:05.999497 IP (tos 0x0, ttl 55, id 31005, offset 0, flags [none], proto ICMP (1), length 80) 84.41.108.74 > 139.162.146.97: ICMP host 46.163.63.47 unreachable, length 60

Outer packet is an iCMP Packet with a "destination unreachable" code sent to the server from the router at address 84.41.108.74

IP (tos 0x0, ttl 57, id 0, ffset 0, flags [7], roto TCP (6), length 52)

139.162.146.97.443 > 46.163.63.xx.52087. Flags [S.] cksum 0x5130 (correct), seq 3917125220, ack 685287936, win 29200, options [mss 1460,nop,rop,sackOK,nop,wscale 7], length 0

Payload packet is a SYN+ACK packet

In the Telephone Network

- All connected endpoints are equally reachable
- Almost almost of the time!

In the Telephone, Natwork

- All connected endpoints are equally reachable
- Almost almost of the time!

As long as all the feeder access networks can connect to Facebook, Google, Netflix, Ebay, connect to Facebook, Geogle, Netflix, Ebay, any Amazon,... then nobody seems to care enough any more to be motivated to fix this

What we now have in 2016 is a tier 1 CDN feeder system. The internet is no longer a true uniquitous fully connected peer network, and our collective care factor about that is pretty low collective care factor about that

And that makes me sad!

Thanks!