

# IPv6 Unique Local Addresses Update on IETF Activity

Policy SIG

Feb 24 2005


APNIC19, Kyoto, Japan

Geoff Huston

# Unique Local Addresses

- “Local” Use instead of “Global “ Use
  - Private addresses in terms of routing scope
  - Global addresses in terms of uniqueness
- Objectives
  - Single address pool subdivided into /48 prefixes
  - Each prefix is intended to be probably unique
  - Not intended to be globally routed
    - Easily filtered at network “edges”
  - Is intended to be locally routed in context of various forms of private use
  - No hierarchical super-structure
  - Not provider-based addresses

# IPv6 ULA Address structure



# ULA Addresses

- Assignment type = 0
- Locally Defined Addresses: FD00::/8
  - Self selection of a prefix
  - No coordinated registration records maintained
  - Probably unique, but not definitely unique
  - No global AAAA or PTR DNS records
- Assignment type = 1
- To be defined: FC00::/8
  - Was originally defined as a set of prefixes to be assigned by a common registry function
  - Current specification refers to this as “may be defined later”

# Locally-Assigned Local addresses

*draft-ietf-ipv6-unique-local-addr-09.txt*

- Specification of the unique\* local address structure
- Specification of the self-selection prefix: FD00::/8
- Random self-selection of the unique\* 40 bit identifier:  
*trunc(MD5(local time . local EUI-64), 40bit)*
- Address selection algorithm inferred as local preferred over global
- Requires split horizon (two-faced) DNS
- May also require non-authoritative synthesis of PTR records for local addresses
- Latest draft has additional caveats about leakage in to the public global routing tables

\* almost unique!

# Centrally-Assigned Local addresses

*No longer under active consideration by the IETF IPv6 Working Group*

# Current Status

- Private Use addresses
  - Large pool divided into IDs of /48s
  - Use random selection to minimize selection collision of IDs
    - Option of using a registry to ensure uniqueness of global ID has currently been dropped from the proposal (although the option has been left open in the future)
  - Use in context of
    - Persistent local-context addresses (independent of provider-based addresses)
    - VPN-styled interconnection

# Thank you

## Questions?